

**Web based Test Report for the EURL-*Salmonella* Interlaboratory Comparison Study (November 2018) on PFGE typing of *Salmonella* strains**



**Interlaboratory comparison study on PFGE typing of *Salmonella* strains organised by the EURL-*Salmonella***

**November 2018**

I want to fill in a new form  
 I want to continue filling in my saved form

**NEXT >>**



**Interlaboratory comparison study on PFGE typing of *Salmonella* strains organised by the EURL-*Salmonella***

**November 2018**

Laboratory information

Laboratory code 2018 study

Name contact person PFGE part

E-mail address contact person PFGE part

Name laboratory or institute PFGE part

Country

Starting date of PFGE typing   dd/mm/yyyy

Finishing date of PFGE typing:   dd/mm/yyyy

When did you send your PFGE results as a TIFF file and optionally as a ZIP file to [Wilma.Jacobs@RIVM.nl](mailto:Wilma.Jacobs@RIVM.nl)   dd/mm/yyyy

What version of Bionumerics did you use to analyse the provided gel " Provided PFGE gel TRO 2018"

- not analysed in Bionumerics
- Bionumerics 7
- Bionumerics 6
- Other: namely

### Position of the shipped test strains on your gel

Please enter the identification of the strains (nrs. P1-P11/ S. Braenderup H9812) in the corresponding position lanes.

Lane 1	<input type="text"/>
Lane 2	<input type="text"/>
Lane 3	<input type="text"/>
Lane 4	<input type="text"/>
Lane 5	<input type="text"/>

Lane 6	<input type="text"/>
Lane 7	<input type="text"/>
Lane 8	<input type="text"/>
Lane 9	<input type="text"/>
Lane 10	<input type="text"/>
Lane 11	<input type="text"/>
Lane 12	<input type="text"/>
Lane 13	<input type="text"/>
Lane 14	<input type="text"/>
Lane 15	<input type="text"/>

## Additional information

What method do you use for Salmonella PFGE?

Standard PulseNet Salmonella PFGE refers to: Standard Operating Procedure for PulseNet PFGE of Escherichia coli O157:H7, Escherichia coli non-O157 (STEC), Salmonella serotypes, Shigella sonnei and Shigella flexneri, PLN05 dated 03-24-2013 at [www.pulsenetinternational.org](http://www.pulsenetinternational.org)

- Standard PulseNet Protocol Salmonella PFGE
- Standard PulseNet Protocol Salmonella PFGE with modifications
- Other:

How many strains did you approximately PFGE type in 2018?

Manufacturer of the XbaI enzyme

Name/model of the electrophoresis System (e.g. CHEF Mapper II)

Name/Model of the Gel Documentation System (e.g. GelDoc 2000)

Did you use a comb with wide (10 mm) or narrow (5.5 mm) teeth?  
 Wide  
 Narrow  
 Other:

Solution used to stain the gel (e.g. ethidium bromide, GelRed, SYBRGold)

Approximate time of staining:

Remarks and comments

Name of person(s) carrying out the typing

Name of the person in charge